



# NT 30/1 Tact L CUL

Robust, durable components and high suction power: NT 30/1 Wet and Dry vacuum cleaner with innovative Tact filter cleaning system and 30 l bumper container and metal castors.





1 Rugged container with bumpers and metal castors.

- Sturdy metal castors guarantee good manoeuvrability and unrestricted mobility on construction sites
- The rugged container protects the machine from bumps and knocks.

#### 2 Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- The power cable is always stored safely for transport.



**3** Detachable filter casing


- With the detachable filter casing, removal and replacement of the filter is dust-free.
- It is impossible to insert the flat pleated filter incorrectly.

#### 4 Central rotary switch

Convenient switching via central rotary switch.

# **TECHNICAL DATA AND EQUIPMENT**

### KARCHER



#### NT 30/1 Tact L CUL

PES	flat	pleated	filter
1 23	nuc	preuteu	meer

Metal castors

Antistatic preparation

Technical data				
Order no.		1.148-206.0		
EAN code		886622021377		
Air flow rate	l/s	71		
Vacuum	mbar / kPa	242 / 24.2		
Container capacity	1	30		
Max. rated input power	W	1380		
Standard nominal width		ID 35		
Sound pressure level	dB(A)	68		
Container material		plastic		
Number of motors		1		
Frequency	Hz	60-60		
Voltage	v	120-120		
Weight	kg	13.5		
Dimensions (L × W × H)	mm	560 × 370 × 580		
Equipment				
Suction hose	m	2.5	Steering roller stop	•
Filter bag		fleece		
Wet and dry floor nozzle	mm	360 / Normal		
Crevice nozzle		•		
Automatic switch-off at max. filling quantity		•		
Antistatic preparation				
Flat pleated filter		PES		
Bend		•		
Filter cleaning		Tact filter cleaning system		
Sturdy bumper		•		
Safety class		I		
Included in the scope of supply.				

## NT 30/1 TACT L CUL 1.148-206.0

			00			5		$ \begin{array}{c}   \end{array} $		
		Order no.	Quantity	ID	Length	Width	Price	Description		
Plastic sacks for dust-free disposal Plastic bag for dust-free disposal	1	2.889-158.0	10 piece(s)				1	PE plastic sack for dust-free disposal.		
Flat pleated filter, PES	1	2.009-130.0	TO piece(s)				<u> </u>	PE plastic sack for dust-free disposal.		
Flat pleated filter, PES	2 6.904-360.0		1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof poly- ester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.		
Fleece filter bags (three-ply)										
Fleece filter bags 3 2.889-154.0			5 piece(s)					Fleece filter bag with 30-litre volume. Tear-resistant, dust class M, for suction hose port in machine head.		
Bend, plastic		2 000 470 0	4 = 1 = = = (+)	LID OF			1	Environmental from the annual to southers		
Bend Adv DN 40 bend	4	2.889-170.0 2.889-171.0	1 piece(s) 1 piece(s)	ID 35 ID 40				Ergonomic bend for the new clip system. Bend for the new clip system in nominal size DN 40.		
Elektricky vodivé koleno, DN 40	6	2.889-172.0	1 piece(s)	ID 40				Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace		
Bend	7	2.889-148.0	1 piece(s)	ID 35				jemného prachu Ergonomic bend for the new clip system. With airflow con- trol slide, in an antistatic design.		
Bend Adv, electrically conductive	8	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically con- ductive design. Particularly suited to high concentrations of fine dust.		
Floor nozzles										
Wet and dry floor nozzle Adv	9 10	2.889-152.0 2.889-173.0	1 piece(s)	ID 35		360 mm		<ul> <li>360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.</li> <li>300 millimetre width, anthracite coloured wet/dry floor</li> </ul>	2 ■	
	11	2 000 174 0						nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees. Standardní podlahová hubice, antracit, s průměrem 40, s		
Podlahová hubice, antracit DN40	11	2.889-174.0						kartáčovými lištami a stěrkami. Vhodné pro všechny mokré i suché aplikace.		
Wet and dry floor nozzle	12	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.		
Multi-purpose nozzle, wet/dry	13	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm work- ing width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.		
Wet and dry floor nozzle	14	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.		
Crevice nozzles										
Crevice nozzle NT Tact DN 35		2.889-159.0	1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.		
Crevice nozzle NT Tact DN 40	16	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.		
Set suction tubes, stainless steel Set suction tube stainless steel NW35 55			Stainless steel suction tube set (2 × 0.55 m)							
Set suction tube stainless steel NW40 55	18	2.889-194.0	1 piece(s)	ID 40	550 mm					

NW40 55 ■ Included in the scope of supply. □ Available accessories. NT 30/1 Tact L CUL, 1.148-206.0, 2020-01-21

## NT 30/1 TACT L CUL 1.148-206.0

### KARCHER

					22		23			24		
		C	Drder no.	Quantity		Length	Width	Price	Descripti			
Complete suction hoses (clip	system)							1				-
Suction hose	1	19 2	2.889-134.0	1 piece(s)	ID 35	2.5 m			2.5 m suc	tion hose with new bayo	net and clip fastener.	
	2	20 2	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.			
	2	21 2	2.889-161.0	889-161.0 1 piece(s) ID 35 2 m Flexible, robust and durable suc		obust and durable suctio	n hose with new clip					
										Ideal for our dry vacuur vidth: DN 35.	n cleaners. 2 m long.	
		22 2	2.889-135.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip faster			
Electrically conductive suction		_	2.889-136.0	1 piece(s)	ID 35	2.5 m					e with new bayonet and	
hose										er. Length: 2.5 m.		
	2	24 2	2.889-137.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener trically conductive.			
Suction hose DN 40, length 4	m 🤇	25 2	2.889-138.0	1 piece(s)	ID 40	4 m				n hose with new bayone	et and clip fastener.	
Suction hose			2.889-139.0	1 piece(s)	ID 40	2.5 m			-	ose with new bayonet an		
									2.5 m.			
Suction hose, oil-resistant	2	27 2	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resista er. Length		v bayonet and clip fasten	
Electrically conductive suction	on 2	28 2	2.889-141.0	1 piece(s)	ID 40	4 m					n hose with new bayonet	
hose									and clip fa	astener.		
		29 2	2.889-142.0	1 piece(s)	ID 40	2.5 m				ose, electrically conductiv ner. 2.5 m long.	ve, with new bayonet and	
Suction tubes, metal				1					- eng raster			_
Suction tube set, chrome-plat NW 35 550 mm	ted, 3	30 2	2.889-191.0	1 piece(s)	ID 35	550 mm			Suction tu 0.55 milli		ated, NW 35, 2-part, each	
Suction hoses (clip system)				I				1	0.55 111111	IIEU ES.		
Suction hose		31 2	2.889-163.0	1 piece(s)	ID 35	2.5 m			Electrocor	ductive suction hose. N	N 35. Length: 2.5 metres.	
Connection adapter for powe									1			
Tool collar DN 35, clip-on	1	1	2.889-151.0	1 piece(s)	ID 35					tor with a rubber fixture w clip system. Suitable f	and airflow control slide or all current electric	
Flat pleated filter, paper												
Dry flat pleated filter	3	33 6	5.904-367.0	1 piece(s)					with a gre	eated filter made from c en label. Suitable for vac t from dust classes L anc	cuuming fine dust and	
Flat pleated filter, PTFE												
				1				1				

■ Included in the scope of supply. □ Available accessories.

37

34 6.907-455.0

35 6.904-287.0

36 2.414-000.0

2.889-281.0

1 piece(s)

1 piece(s)

Ultimate flat pleated filter

Coarse dirt filter

Wood cartridge filter

Fabric filter

and Ap range

Coarse dirt filter for wet vacuuming

Membrane filter for the new Tact

П

П

Ultimate flat pleated filter made from PES/PTFE fibre ma-

terial with a black label. For the toughest applications when

vacuuming liquids, fine dust and coarse dirt from dust class-

Coarse dirt filter with perforated metal plate and foam seal

Wood cartridge filter made from textile material with PTFE

Additional membrane filter made from non-woven fabric for

machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter

bag. Can be washed and reused.

coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.

suitable for wet pick up - NT 611 Eco K & KF models.

es M and L

## NT 30/1 TACT L CUL 1.148-206.0

ר ר

ЪГ

ר ר

1

### KARCHER

ר ר

38 39	and the second s	40		41	6	42		43 44	
45 46		47		48		49			
		Order no.	Quantity	ID	Length	Width	Price	Description	
HEPA, dust class H filter HEPA flat pleated filter	38	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass- fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	]
All-purpose brushes		6.900-425.0	4	10.05	420		I	All surrass house DDN Drietle	
All-purpose brush Car cleaning nozzles	39	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	Ч
Car nozzle	40	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	1
<b>Combi-nozzles, dry</b> Combi-nozzle, dry	41	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	1
Suction brushes Suction brush	42	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum clean-	]
Dennis Lite								ers.	_
Repair kits Repair kit ID 35	12	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	1
Repair kit ID 40	43		1 piece(s)	ID 35				Repair kit ID 40 for the new clip system.	-
Extension hoses (clip system)	44	2.005 130.0	1 piece(3)	10 40			1		Η
Extension hose	45	2.889-145.0	1 piece(s)	ID 35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	1
	46	2.889-146.0	1 piece(s)	ID 40	2.5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	
Other			p(.)						1
Drilling dust nozzle	47	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes.	1

Suitable for dry and wet and dry vacuum cleaners from Kärcher. Target-group-specific accessory kits for vacuum cleaners ID 35 Universal trade and industrial set 48 2.637-595.0 Accessory kit for trade and industry. Heating boiler cleaning kit 49 2.638-852.0 ID 35 Accessory kit for vacuuming and cleaning boilers, oil stoves, etc. Car cleaning accessory kit 50 2.862-166.0 ID 35 Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures

■ Included in the scope of supply. □ Available accessories.