

BUSH HOG®



*Performance
You Can
Count
On™*

TERRA HOG SYSTEM

A MULTI-USE GROUND ENGAGING TOOL



Terra Hog System

TERRA HOG FRAMES



The Bush Hog® ATV/UTV Terra Hog System starts with a strong tubular steel frame. Each frame consists of your choice of either a manual ratchet jack or electric actuator to raise the wheels out of the way when in use. Each frame will accommodate 10 different implements to help you get virtually any job done. Choose from:

- Aerator
- Box Blade
- Carry-All
- Cultipacker
- Disc Harrow
- Field Cultivator
- Landscape Rake
- Plugger
- Rear Blade
- Road Grader

Implement height can be adjusted at the hitch mounting point to accommodate any ATV or UTV. Each implement is connected to the main frame by a hardened steel bolt that locks it securely in place. On implements that feature adjustable angles, durable king pins hold the implement right where you want it.

Work has never been so fun.

Bush Hog®'s new line of ATV and UTV implements put your recreational vehicle to work. Scrape roads on the way to your hunting camp, disc up tough land for a green field, aerate your manicured lawn... with Bush Hog®'s ATV/UTV implements, you can do it all.

Bush Hog®'s Terra Hog System makes the most of your recreational vehicle!

CHOOSE FROM TWO FRAME OPTIONS:



THSE

Terra Hog Frame with Electric Actuator



THSM

Terra Hog Frame with Manual Ratchet Jack



AERATORS

ARV SERIES



SPECIFICATIONS

Model	ARV48	ARV60	ARV72
Product Description	ATV Aerator 48"	ATV Aerator 60"	ATV Aerator 72"
Overall Width	49 7/8"	62 1/4"	74"
Working Width	44 7/8"	57 3/8"	69"
Overall Depth	17 3/8"	17 3/8"	17 3/8"
Weight	300 lbs.	335 lbs.	361 lbs.
# of Knives	120	150	180
# of Hubs	4	5	6
Knife Spacing	3 7/8"	3 7/8"	3 7/8"
Axle	1 1/4"	1 1/4"	1 1/4"
King Pin	1 1/4"	1 1/4"	1 1/4"

BOX BLADES

BXV SERIES



SPECIFICATIONS

Model	BXV48	BXV60	BXV72
Product Description	ATV Box Blade 48"	ATV Box Blade 60"	ATV Box Blade 72"
Box Height	21 3/4"	21 3/4"	21 3/4"
Overall Box Width	48 1/2"	60 1/2"	72 1/2"
Box Depth	18"	18"	18"
Weight	298 lbs.	324 lbs.	354 lbs.
# of Shanks	4	4	4
# of Plow Bolts	4	5	6
Cutting Edge	1/2" X 6" X 47 3/4"	1/2" X 6" X 59 3/4"	1/2" X 6" X 71 3/4"
King Pin	1 1/4"	1 1/4"	1 1/4"

CARRY-ALL & CULTIPACKERS

CARRY-ALL

CAV SERIES



SPECIFICATIONS

Model	CAV
Product Description	ATV Carry-All
Overall Width	52 1/4"
Overall Depth	28 1/4"
Weight	307 lbs.
King Pin	1 1/4"

CULTIPACKERS

CPV SERIES



SPECIFICATIONS

Model	CPV48	CPV60	CPV72
Product Description	ATV Cultipacker 48"	ATV Cultipacker 60"	ATV Cultipacker 72"
Overall Height with Frame	37"	37"	37"
Overall Depth with Frame	88 3/8"	88 3/8"	88 3/8"
Distance - Ground to Frame	14 1/16"	14 1/16"	14 1/16"
Overall Width	55 1/4"	67 3/16"	80 3/8"
Working Width	47 7/8"	59 1/4"	73"
Overall Depth	16"	16"	16"
Weight	406 lbs.	460 lbs.	531 lbs.
# of Wheels	21	26	31
Wheel Spacing	2 1/16"	2 1/16"	2 1/16"
Axle	1 3/4"	1 3/4"	1 3/4"
Bearings	Greasable	Greasable	Greasable
King Pin	1 1/4"	1 1/4"	1 1/4"

DISC HARROWS & FIELD CULTIVATORS

DISC HARROWS

DHV SERIES



SPECIFICATIONS

Model	DHV36	DHV50	DHV66
Product Description	ATV Disc Harrow 36"	ATV Disc Harrow 50"	ATV Disc Harrow 66"
Overall Width	37"	51"	67"
Cutting Width	36"	50"	66"
Overall Depth	21 5/8"	21 5/8"	21 5/8"
Weight	318 lbs.	343 lbs.	371 lbs.
Blade Spacing	7 1/2"	7 1/2"	7 1/2"
# of Blades	6	8	10
Blade Type	Notched	Notched	Notched
Bearing Type	Sealed, Self Aligning, Ball Bearing	Sealed, Self Aligning, Ball Bearing	Sealed, Self Aligning, Ball Bearing
Angle Adjustment	0°, 7°, 14°, 21°	0°, 7°, 14°, 21°	0°, 7°, 14°, 21°
King Pin	1 1/4"	1 1/4"	1 1/4"

FIELD CULTIVATORS

FCV SERIES



SPECIFICATIONS

Model	FCV48	FCV60	FCV72
Product Description	ATV Field Cultivator 48"	ATV Field Cultivator 60"	ATV Field Cultivator 72"
Overall Width	52"	64"	76"
Working Width	Adjustable up to 48"	Adjustable up to 60"	Adjustable up to 72"
Depth	28"	28"	28"
Weight	226 lbs.	254 lbs.	283 lbs.
Tine Dimensions	10mm X 32mm X 14 1/2"	10mm X 32mm X 14 1/2"	10mm X 32mm X 14 1/2"
Plow Point	1 3/8" X 8" x 2 3/8" Reversible Spike	1 3/8" X 8" x 2 3/8" Reversible Spike	1 3/8" X 8" x 2 3/8" Reversible Spike
# of Tines	6	8	10
King Pin	1 1/4"	1 1/4"	1 1/4"

LANDSCAPE RAKES & PLUGGERS

LANDSCAPE RAKES

LRV SERIES



SPECIFICATIONS

Model	LRV48	LRV60	LRV72
Product Description	ATV Landscape Rake 48"	ATV Landscape Rake 60"	ATV Landscape Rake 72"
Overall Width	48"	60"	72"
Overall Depth	17 9/16"	17 9/16"	17 9/16"
Weight	220 lbs.	229 lbs.	251 lbs.
Angle Adjustment	0° - 30°	0° - 30°	0° - 30°
Adjustment Method	Index Pin	Index Pin	Index Pin
# of Tines	24	30	36
King Pin	1 1/4"	1 1/4"	1 1/4"

PLUGGERS

PGV SERIES



SPECIFICATIONS

Model	PGV48	PGV60	PGV72
Product Description	ATV Plugger 48"	ATV Plugger 60"	ATV Plugger 72"
Overall Width	49 7/8"	62 1/4"	74"
Working Width	43 7/16"	55 3/4"	67"
Overall Depth	17 7/16"	17 7/16"	17 7/16"
Weight	296 lbs.	306 lbs.	325 lbs.
# of Spoons	32	40	48
# of Hubs	4	5	6
Spoon Spacing	6"	6"	6"
Axle	1 1/4"	1 1/4"	1 1/4"
King Pin	1 1/4"	1 1/4"	1 1/4"

REAR BLADES & ROAD GRADERS

REAR BLADES

RBV SERIES



SPECIFICATIONS

Model	RBV48	RBV60	RBV72
Product Description	ATV Rear Blade 48"	ATV Rear Blade 60"	ATV Rear Blade 72"
Overall Width	48"	60"	72"
Weight	201 lbs.	214 lbs.	235 lbs.
Moldboard Height	12 1/8"	12 1/8"	12 1/8"
Cutting Edge	3/8" X 3" Weld On	3/8" X 3" Weld On	3/8" X 3" Weld On
Angle Adjustment	0° - 30°	0° - 30°	0° - 30°
Adjustment Method	Index Pin	Index Pin	Index Pin
King Pin	1 1/4"	1 1/4"	1 1/4"

ROAD GRADERS

RGV SERIES



SPECIFICATIONS

Model	RGV48	RGV60	RGV72
Product Description	ATV Road Grader 48"	ATV Road Grader 60"	ATV Road Grader 72"
Overall Width	51 7/8"	63 7/8"	75 7/8"
Box Depth	31 1/16"	31 1/16"	31 1/16"
Weight	326 lbs.	353 lbs.	395 lbs.
Cutting Edges	3/8" X 6" Bolt On	3/8" X 6" Bolt On	3/8" X 6" Bolt On
Cutting Edge Length	47 3/4"	59 3/4"	71 3/4"
Cutting Edge Angle	6	6	6
Cutting Edge Spacing	12"	12"	12"
Weld On Skids	1/4" x 1 7/8"	1/4" x 1 7/8"	1/4" x 1 7/8"



2501 Griffin Ave.
Selma, Alabama 36703
Tel: 800-363-6096
Fax: 334-874-2701
www.bushhog.com

Bush Hog and  (hog icon) are registered trademarks of Alamo Group Inc. Copyright © 2017