

Landscape Tools



Box Blades • Roll Over Box Blades Landscape Rakes • Pulverizers • Pluggers

Quality-Built Tools for Rugged Landscaping Chores

Bush Hog® landscape tools are built tough to handle tough jobs. Whether you're a farmer, rancher, professional landscaper or construction contractor, Bush Hog® has the right tool for the job. All offer heavy-duty construction, with special features to make your job a little easier. And because they wear the Bush Hog® brand, you can rely on them to provide years of trouble-free performance. Trust Bush Hog® to help you get the job done right!

BUSH HOG® SBX BOX BLADES

The Bush Hog[®] SBX Series Box Blades are exceptional tools when the job requires grading, leveling or back filling. The scarifiers have three adjustable height positions and replaceable heat-treated tips for extended wear. Two $1/2 \times 6$ -inch heat-treated, reversible and replaceable cutting edges smooth even the roughest ground. Rated for use on 2WD tractors up to 50 PTO horsepower and 4WD tractors up to 35 PTO horsepower, these box blades provide excellent value for the price.



BUSH HOG®BBX BOX BLADES

Bush Hog's BBX Series of Box Blades is an excellent choice for a full-size box blade that can handle landscaping chores and other light duty tasks around the home or farm. Designed for small, compact and subcompact tractors with up to 30 HP (4WD) or 40 HP (2WD), the BBX Series is built to handle tough tasks at a very reasonable price.

SPECIFICATIONS					
MODEL Width No. of Scarifiers Weigh					
BBX48	48 in.	4	260 lbs.		
BBX60	60 in.	5	325 lbs.		
BBX66	66 in.	5	375 lbs.		
BBX72	72 in.	6	390 lbs.		



BUSH HOG® MBX BOX BLADES

Bush Hog's MBX Series Medium Duty Box Blades are the ideal choice for use around the farm or by landscape contractors on the jobsite. These box blades are rated for use on 2WD tractors up to 65 PTO horsepower and 4WD tractors up to 55 PTO horsepower with a Cat. I or II 3-point hitch. They feature a heavy duty A-frame, heat-treated scarifier shanks, and a swinging tailgate to provide years of trouble-free performance. Whether you are grading driveways, cleaning out barns, or leveling a construction jobsite, these medium duty box blades are sure to meet your needs.





SPECIFICATIONS				
MODEL	Width	No. of Scarifiers	Weight	
MBX60	60 in.	5	580 lbs.	
MBX72	72 in.	6	640 lbs.	
MBX84	84 in.	6	710 lbs.	
MBX96	96 in.	6	790 lbs.	


BUSH HOG®RBX BOX BLADES

Bush Hog's RBX Box Blades are built for the landscape contractor who wants to change from moving soil to using the scarifiers with minimum effort. This series of box blades is an excellent choice when your job requires using the scarifiers to break up compacted soil and then using the box blade to move and level the loosened soil. Shanks can be locked down in the working position and rotated up for moving dirt, all from your tractor's seat. This feature is a valuable time saver. The heat-treated scarifiers, heat-treated reversible cutting edge and swinging rear tailgate will provide years of reliable, trouble-free performance.



BUSH HOG[®] ROLLOVER BOX BLADES

With the ability to perform three different functions, Bush Hog's Rollover Box Blade is one of the most versatile implements for landscapers. In the first position, the heat-treated reversible cutting edge is ideal for grading the material. In the second position, backfilling can be easily accomplished. Finally, in the third position, heavy duty scarifier shanks give you plenty of ripping ability when breaking up compacted ground. What makes this tool more valuable is that all three positions can be changed from the tractor seat. These rollover box blades are rated for use on 2WD tractors up to 60 PTO horsepower and 4WD tractors up to 45 PTO horsepower.



RO-650

SPECIFICATIONS

MODEL	MODEL Width		Weight	
RO-600	60 in.	5	630 lbs.	
RO-650	65 in.	5	680 lbs.	
RO-720	72 in.	6	710 lbs.	
RO-840	84 in.	6	780 lbs.	

BUSH HOG® LANDSCAPE RAKES

Bush Hog's line of landscape rakes are the perfect tools for removing debris or giving an area that "groomed look." Perfect for jobs ranging from brush removal to grooming horse arenas, this tool is available in both a light duty model for tractors up to 30 PTO HP and a medium duty model for tractors up to 50 PTO HP. One-inch spacing between the heat-treated tines allows you to easily remove sticks, small rocks and other unwanted material. An optional gauge wheel is available for both models and the medium duty model offers a ratchet or hydraulic cylinder option to control angle adjustment. All units feature 360° pivot ability with angle adjustment of the rake, and a king pin size of 1-1/4 inches. With a Category I hitch, and in sizes from 60 to 96-inch widths, there is sure to be a Bush Hog® Landscape Rake to match your requirements.



SPECIFICATIONS					
MODEL	Width	Weight	MODEL	Width	Weight
LLR60	60 in.	205 lbs.	MLR72	72 in.	325 lbs.
LLR72	72 in.	225 lbs.	MLR84	84 in.	345 lbs.
LLR84	84 in.	245 lbs.	MLR96	96 in.	365 lbs.



After the heavy material has been removed, a Bush Hog Pulverizer becomes the perfect tool to prepare a seedbed. The steel shanks break up compacted soil, while the heavy roller pulverizes large clumps and prepares the area for seeding. This tool is ideal for the professional landscaper/contractor who requires clean, level ground in one pass. Available in 60, 72 and 84 inch widths, with one or two rollers and featuring a Category I hitch, there is sure to be a Bush Hog® Pulverizer to match your requirements.



SP	ECI	FIC	ATI	10	٩S

MODEL	Width	No. of Rollers	Weight
PVB-600 PVS-600	60 in.	1	530 lbs.
PVB-602 PVS-602	60 in.	2	640 lbs.
PVB-660 PVS-660	66 in.	1	560 lbs.
PVB-662 PVS-662	66 in.	2	680 lbs.
PVB-720 PVS-720	72 in.	1	590 lbs.
PVB-722 PVS-722	72 in.	2	720 lbs.
PVB-840 PVS-840	84 in.	1	650 lbs.
PVB-842 PVS-842	84 in.	2	790 lbs.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

PVB = Bar Shanks PVS = Spike Shanks

BUSH HOG[®] PLUGGERS

The Bush Hog[®] Pluggers are literally designed to get to "the root of the problem." The 3/4-inch spoons provide excellent soil penetration, allowing nutrients and air to reach the turf's root system. A 1-1/4 inch diameter shaft with greasable sleeves supports the independent hubs. The frame is designed as a weight box so that additional weight may be added to increase down pressure when the soil is heavily compacted. All models are rated for tractors up to 60 PTO HP with a Category I three point hitch. Optional slicing knives are also available.



SPECIFICATIONS				
MODEL	Width	Hubs	Weight	
PG-600	60 in.	8	350 lbs.	
PG-720	72 in.	10	390 lbs.	
MPG-600	60 in.	10	460 lbs.	
MPG-720	72 in.	12	500 lbs.	

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



www.bushhog.com

Bush Hog[®], Inc. 2501 Griffin Ave., Selma, AL 36703 (334) 874-2700 ©March 2013 Bush Hog[®], Inc.