

ATLAS JSV[®]

GRAVELLY

THE OFFICIAL JOB SITE VEHICLE




IT PUNCHES
IN & OUT
WITH THE SUN.

**DURABILITY AND UTILITY ARE
UNSURPASSED WITH THE ATLAS JSV®.**

This is a true jobsite vehicle, redefining heavy duty with suspension, frame, and box construction that will stand up to whatever your jobs dish out. Never fall behind on a day's projects with the expanded workload of the Atlas JSV®.

WHEN A HARD DAY'S WORK
IS PACKED INTO EVERY

HOUR.



**THE POWER TO NEVER SECOND
GUESS YOUR DAY'S CHORES.**

Performance gets a jumpstart with hardcore engines ready to deliver over 2500 pounds of towing capacity. Combine that with its unmatched torque and you'll soon see how every inch of the Atlas JSV® pulls its weight, and then some.

40^{hp}
HORSEPOWER

999^{cc}
DISPLACEMENT

11.5^{gal}
FUEL CAPACITY

35^{mph}
GROUND SPEED

2,500^{lb}
TOWING CAPACITY

1^{yr}
COMMERCIAL WARRANTY

EFI
FUEL SYSTEM

IFS^{dual a-arm}
SUSPENSION

26x10^{hd}
ALL FOUR TIRES

| MODEL NUMBER | UNIT | DESCRIPTION |
|--------------|--------|---|
| 996209 | 3400 | POLY BED, THREE-SEAT, FOUR-WHEEL DRIVE, JOB SITE VEHICLE |
| 996204 | 3400SD | STEEL BED, THREE-SEAT, FOUR-WHEEL DRIVE, JOB SITE VEHICLE |
| 996207 | 6400 | POLY BED, SIX-SEAT, FOUR-WHEEL DRIVE, JOB SITE VEHICLE |

JOB SITE VEHICLES

3400



3400^{SD}



6400



| MODEL NUMBER | 996209 | 996204 | 996207 |
|---------------------------|--|--|--|
| ENGINE | POLARIS® 2-CYLINDER, SOHC, GAS | POLARIS® 2-CYLINDER, SOHC, GAS | POLARIS® 2-CYLINDER, SOHC, GAS |
| HORSEPOWER | 40 HP | 40 HP | 40 HP |
| DISPLACEMENT | 999 CC | 999 CC | 999 CC |
| FUEL SYSTEM | EFI | EFI | EFI |
| FUEL CAPACITY | 11.5 GAL. | 11.5 GAL. | 11.5 GAL. |
| GROUND SPEED | 35 MPH | 35 MPH | 35 MPH |
| TOWING CAPACITY | 2,500 LBS. | 2,500 LBS. | 2,500 LBS. |
| TOTAL RATED PAYLOAD | 1,900 LBS. | 1,800 LBS. | 2,075 LBS. |
| GROUND SPEED | CONTINUOUSLY VARIABLE (CVT) | CONTINUOUSLY VARIABLE (CVT) | CONTINUOUSLY VARIABLE (CVT) |
| TIRES & WHEELS | | | |
| FRONT & REAR SUSPENSION | IFS DUAL A-ARM | IFS DUAL A-ARM | IFS DUAL A-ARM |
| FRONT & REAR TIRES | 26 X 10 HEAVY DUTY | 26 X 10 HEAVY DUTY | 26 X 10 HEAVY DUTY |
| FRONT & REAR WHEELS | 12 X 6 STEEL | 12 X 6 STEEL | 12 X 6 STEEL |
| FEATURES | | | |
| STEERING | ELECTRIC POWERED STEERING | ELECTRIC POWERED STEERING | ELECTRIC POWERED STEERING |
| BED LIFT | STANDARD, ELECTRIC | STANDARD, ELECTRIC | STANDARD, ELECTRIC |
| BED MATERIAL | POLY | STEEL | POLY |
| HITCH | STANDARD, HEAVY DUTY | STANDARD, HEAVY DUTY | STANDARD, HEAVY DUTY |
| ROPS | ACCORDING TO ANSI/OPEI B71.9, OSHA 1928.53 | ACCORDING TO ANSI/OPEI B71.9, OSHA 1928.53 | ACCORDING TO ANSI/OPEI B71.9, OSHA 1928.53 |
| VEHICLE DIMENSIONS | | | |
| WEIGHT | 1,620 LBS. | 1,790 LBS. | 1,925 LBS. |
| LENGTH | 125 IN. | 125 IN. | 157 IN. |
| WIDTH | 62.5 IN. | 62.5 IN. | 62.5 IN. |
| HEIGHT | 75 IN. | 75 IN. | 75 IN. |
| GROUND CLEARANCE | 11 IN. | 11 IN. | 11 IN. |
| WARRANTY | | | |
| UNIT | 1 YEAR LIMITED COMMERCIAL | 1 YEAR LIMITED COMMERCIAL | 1 YEAR LIMITED COMMERCIAL |

A worker in a high-visibility vest is operating an Atlas JSV utility vehicle on a job site. The vehicle is red and black, with 'ATLAS JSV' written on the side. The worker is wearing a yellow high-visibility vest over a dark long-sleeved shirt and dark pants. The background shows a construction site with other workers and equipment under a cloudy sky.

EVERY JOBSITE NEEDS AN
ALPHA DOG

**PROTECT CREWS AND KEEP
JOBS RUNNING SMOOTH WITH THE
ATLAS JSV'S SAFETY-FIRST MINDSET.**

Routine maintenance is simplified with easy-to-reach dipstick and air filters, plus the Atlas JSV® carries a 200-hour maintenance interval. Safety never takes a back seat with back up horns, speed limitations and an optional tight sealing cab to minimize dust and moisture.

WILL YOU PUSH IT TO WORK HARDER OR WILL IT PUSH YOU?



THIS IS THE NEXT LEVEL IN UTILITY VEHICLES DELIVERING RELIABILITY WHEREVER THE JOB TAKES YOU.

Bring more power, more versatility, and more capacity to your jobsite. Your JSV is engineered to take a pounding with a heavy-duty suspension and driveline. And its tires are jobsite-ready to deliver longer life on hard-pack surfaces. Add a tough-as-nails, 1250-pound capacity bed and you'll quickly realize from top to bottom the JSV performs like no other.



CHASSIS AND SUSPENSION

A one-piece chassis and independent rear suspension offers rigidity in the toughest work environments.



INTERIOR SPACIOUS DESIGN

Foot wells have been widened by 5 in. for easier egress/ingress for people with work boots.



ALL-STEEL JOB BOX

The Atlas JSV® 3400SD's fabricated all-steel cargo bed won't buckle or bend. Dump cargo with the touch of a button and haul a fully loaded pallet, thanks to a generous 18 cubic feet of cargo space.



DURO TIRES

Four common size tires allows for one spear to fit all four corners of the machine.



IT'S READY TO DO
JOBS
 YOU HAVEN'T EVEN
 THOUGHT OF YET.

MAKE YOUR ATLAS JSV® THE INDISPENSABLE TOOL OF YOUR TRADE.

We have over 40 unique kits and 36 accessories to mix and match that will turn your Atlas JSV® into even more of a workhorse. From the tools you need to support a construction site to working the back forty on a dairy farm, it's easy to customize your Atlas JSV® to how it can work best for you.

| MODEL # | DESCRIPTION | PLATFORM |
|----------------------------------|----------------------------------|--------------|
| ATTACHMENTS | | |
| 796080 | FULL RACK STRUCTURE | 3400SD |
| 796081 | EXTENDER BASKET* | 3400SD |
| 796082 | HALF CLIP BASKET* | 3400SD |
| 796083 | FULL CLIP BASKET* | 3400SD |
| 796084 | LONG HANDLE TOOL CARRIER* | 3400SD |
| 796085 | STRING TRIMMER CARRIER* | 3400SD |
| 796086 | BACKPACK RACK* | 3400SD |
| 796087 | COOLER/BUCKET CRUISER* | 3400SD |
| 796070 | 72" STEEL BLADE | ALL |
| 796219 | 72" POLY BLADE | ALL |
| 796220 | HYDRAULIC ANGLE SYSTEM | ALL |
| 796221 | PRO CONTROL HANDLE | ALL |
| 796222 | HYDRAULIC LIFT SYSTEM | ALL |
| 796074 | PLOW MOUNT PLATE | ALL |
| 796227 | PLOW FRAME | ALL |
| 796224 | PLOW MARKER | ALL |
| 796187 | HEADACHE RACK STEEL BOX | 3400SD |
| 796230 | HEADACHE RACK POLY BOX | 3400, 6400 |
| 796231 | CHAINSAW PRESS POLY BOX | 3400, 6400 |
| 796065 | BED LINER MAT | 3400SD |
| 796217 | NERF BARS, BASE | 3400, 3400SD |
| 796218 | NERF BARS CREW | 6400 |
| COMFORT & ELECTRONICS | | |
| 796235 | POWER STEERING KIT | 3400 |
| 796236 | HEATER/DEFROST KIT | ALL |
| 796203 | WIPER KIT* | ALL |
| 796237 | SPEED CHANGE KIT (15MPH - 45MPH) | ALL |
| 796239 | HORN KIT | ALL |

| # | DESCRIPTION | PLATFORM |
|------------------------------|----------------------------------|--------------|
| CAB SYSTEMS | | |
| 796033 | POLY SPORT ROOF, BASE | 3400, 3400SD |
| 796206 | ROOF LINER, BASE | 3400, 3400SD |
| 796035 | POLY SPORT ROOF, CREW | 6400 |
| 796207 | ROOF LINER, CREW | 6400 |
| 796251 | GLASS WINDSHIELD TIP OUT | ALL |
| 796252 | FIXED GLASS WINDSHIELD - GEN. II | ALL |
| 796189 | POLY HARD COATED WINDSHIELD | ALL |
| 796201 | HALF WINDSHIELD | ALL |
| 796031 | GLASS REAR PANEL | ALL |
| 796030 | POLY REAR PANEL | ALL |
| 796208 | FRONT CRANK DOORS | ALL |
| 796209 | CREW REAR CRANK DOORS | 6400 |
| 796210 | CANVAS FRONT DOORS | ALL |
| 796211 | CANVAS REAR DOORS | 6400 |
| LIGHTING & SAFETY | | |
| 796228 | 360 WORK LIGHT* | ALL |
| 796232 | CAB LIGHT* | ALL |
| 796216 | REARVIEW MIRROR | ALL |
| 796243 | LIGHT BAR HARNESS | ALL |
| 796244 | REVERSE WARNING KIT | ALL |
| 796214 | BEACON LIGHT KIT | ALL |
| 796233 | ROOF PULSE ADAPTER* | ALL |
| 796234 | CREW PULSE EXTENSION* | 6400 |
| 796215 | FIRE EXTINGUISHER MOUNT | ALL |
| WINCH & TOWING | | |
| 796226 | PRO HD WINCH 4500LB | ALL |

* = REQUIRES THE PURCHASE OF ADDITIONAL PARTS

DRIVEN TO WORK HARDER.



**WE HAVE THE TOOLS AND UPGRADES
TO TACKLE EVERY PART OF YOUR JOB.**

You won't find much that can't be customized to make the Atlas JSV® a perfect fit for your workplace. From the tires to the roof and everywhere in between, it can all be changed, tweaked and upgraded however you see fit.

RANCHER & GARDENER

| MODEL # | ATTACHMENT/ACCESSORY | PLATFORM |
|---------|-------------------------------------|--------------|
| 796033 | POLY SPORT ROOF, BASE | 3400, 3400SD |
| 796206 | ROOF LINER, BASE | 3400, 3400SD |
| 796230 | HEADACHE RACK POLY BOX | 3400, 3400SD |
| 796231 | CHAINSAW PRESS POLY BOX | 3400, 3400SD |
| 796217 | NERF BARS, BASE | 3400, 3400SD |
| 796252 | FIXED GLASS WINDSHIELD - GEN. II | ALL |
| 796226 | PRO HD WINCH 4500LB | ALL |



MUNICIPALITY & CAMPUS

| MODEL # | ATTACHMENT/ACCESSORY | PLATFORM |
|---------|-----------------------|--------------|
| 796033 | POLY SPORT ROOF, BASE | 3400, 3400SD |
| 796201 | HALF WINDSHIELD | ALL |
| 796239 | HORN KIT | ALL |
| 796216 | REARVIEW MIRROR | ALL |
| 796244 | REVERSE WARNING KIT | ALL |
| 796214 | BEACON LIGHT KIT | ALL |





CONSTRUCTION

| MODEL # | ATTACHMENT/ACCESSORY | PLATFORM |
|---------|----------------------------------|----------|
| 796033 | POLY SPORT ROOF, BASE | ALL |
| 796252 | FIXED GLASS WINDSHIELD - GEN. II | ALL |
| 796187 | HEADACHE RACK STEEL BOX | 3400SD |
| 796065 | BED LINER MAT | 3400SD |
| 796237 | SPEED CHANGE KIT | ALL |
| 796239 | HORN KIT | ALL |
| 796216 | REARVIEW MIRROR | ALL |
| 796244 | REVERSE WARNING KIT | ALL |
| 796214 | BEACON LIGHT KIT | ALL |

ENERGY & QUARY

| MODEL # | ATTACHMENT/ACCESSORY | PLATFORM |
|---------|----------------------------------|----------|
| 796035 | POLY SPORT ROOF, CREW | 6400 |
| 796252 | FIXED GLASS WINDSHIELD - GEN. II | ALL |
| 796031 | GLASS REAR PANEL | ALL |
| 796210 | CANVAS FRONT DOORS | ALL |
| 796211 | CANVAS REAR DOORS | 6400 |
| 796236 | HEATER/DEFROST KIT | ALL |
| 796203 | WIPER KIT | ALL |
| 796237 | SPEED CHANGE KIT | ALL |
| 796239 | HORN KIT | ALL |
| 796240 | 30 IN. LIGHT BAR | ALL |
| 796216 | REARVIEW MIRROR | ALL |
| 796244 | REVERSE WARNING KIT | ALL |
| 796214 | BEACON LIGHT KIT | ALL |
| 796215 | FIRE EXTINGUISHER MOUNT | ALL |



LANDSCAPE CONTRACTOR



| MODEL # | ATTACHMENT/ACCESSORY | PLATFORM |
|---------|-----------------------------|--------------|
| 796033 | POLY SPORT ROOF, BASE | 3400, 3400SD |
| 796189 | POLY HARD COATED WINDSHIELD | ALL |
| 796030 | POLY REAR PANEL | ALL |
| 796080 | FULL RACK STRUCTURE | 3400SD |
| 796081 | EXTENDER BASKET | 3400SD |
| 796082 | HALF CLIP BASKET | 3400SD |
| 796083 | FULL CLIP BASKET | 3400SD |
| 796084 | LONG HANDLE TOOL CARRIER | 3400SD |
| 796085 | STRING TRIMMER CARRIER | 3400SD |
| 796086 | BACKPACK RACK | 3400SD |
| 796087 | COOLER/BUCKET CRUISER | 3400SD |
| 796216 | REARVIEW MIRROR | ALL |
| 796244 | REVERSE WARNING KIT | ALL |
| 796214 | BEACON LIGHT KIT | ALL |

SNOW REMOVAL

| MODEL # | ATTACHMENT/ACCESSORY | PLATFORM |
|---------|----------------------------------|--------------|
| 796033 | POLY SPORT ROOF, BASE | 3400, 3400SD |
| 796206 | ROOF LINER, BASE | 3400, 3400SD |
| 796252 | FIXED GLASS WINDSHIELD - GEN. II | ALL |
| 796031 | GLASS REAR PANEL | ALL |
| 796208 | FRONT CRANK DOORS | ALL |
| 796070 | 72" STEEL BLADE | ALL |
| 796220 | HYDRAULIC ANGLE SYSTEM | ALL |
| 796221 | PRO CONTROL HANDLE | ALL |
| 796222 | HYDRAULIC LIFY SYSTEM | ALL |
| 796187 | HEADACHE RACK STEEL BOX | 3400SD |
| 796236 | HEATER/DEFROST KIT | ALL |



GRAVELY HELPS
MONEY
WORK HARDER TOO.



Put equipment in the hands of the ones who need it most with financing options through Gravelly. Accelerate getting the tools you need to get the job done with affordable plans provided through our network of authorized independent finance companies.



ATLAS JSV 6400



ATLAS JSV 3400

Visit your local dealer to learn more.



VISIT US ONLINE AT [GRAVELLY.COM](https://www.gravelly.com)

For Product Information, Consumer Reviews, Product Videos,
Dealer Locator, Product Selector, and Customer Support.

Registered trademark and ™ trademark of AriensCo. Kohler®, Kawasaki®, Yamaha®, and Hydro-Gear® are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.gravelly.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary. © Copyright 2023 AriensCo. All rights reserved. 061423